



AKABA



AKABA

GRES PORCELLANATO IMPASTO COLORATO
COLORED BODY PORCELAIN STONEWARE
GRÈS CÉRAMÉ MASSE COLORÉ
FEINSTEINZEUG MIT EINGEFAERBTEN SCHERBEN

V3

R9

HD

FORMATI • SIZES • FORMATS • FORMATE

20x122 8”x48”
RETTIFICATO RECTIFIED

COLORI • COLORS • COULEURS • FARBEN



WHITE



TEAK



ELM



EBONY

AKABA WHITE

FORMATI • SIZES • FORMATS • FORMATE



303295
Akaba White Rettificato **R9**
20x122 8" x 48"



AKABA WHITE 20x122



PEZZI SPECIALI • TRIMS • PIÈCES SPÉCIALES • FORMTEILE



Battiscopa 20
801442 White 6x61

AKABA TEAK

FORMATI • SIZES • FORMATS • FORMATE



303297
Akaba Teak Rettificato **R9**
20x122 8" x48"



AKABA TEAK 20x122



PEZZI SPECIALI • TRIMS • PIÈCES SPÉCIALES • FORMTEILE



Battiscopa 20
801444 Teak 6x61

AKABA ELM

FORMATI • SIZES • FORMATS • FORMATE



303296
Akaba Elm Rettificato **R9**
20x122 8" x 48"



AKABA ELM 20x122



PEZZI SPECIALI • TRIMS • PIÈCES SPÉCIALES • FORMTEILE



Battiscopa 20 
801443 Elm 6x61


AKABA EBONY

FORMATI • SIZES • FORMATS • FORMATE




303298
Akaba Ebony Rettificato **R9**
20x122 8" x 48"

SCHEMI DI POSA LAYING PATTERNS



Si consiglia di posare il materiale sfalsato di 1/10.
We recommend laying the material in a 1/10 staggered arrangement.



Non è consigliabile posare il materiale sfalsato di 1/2.
We do not recommend laying the material in a 1/2 staggered pattern.



AKABA EBONY 20x122



PEZZI SPECIALI • TRIMS • PIÈCES SPÉCIALES • FORMTEILE



Battiscopa 20

801445/9 Ebony 6x61 504

Per una posa ottimale si raccomanda l'utilizzo di distanziatori autolivellanti.
For an optimum installation we recommend the use of self-leveling spacers.

PESI E MISURE • WEIGHT AND SIZES • POIDS ET MESURES • GEWICHTE UND VERPACKUNGEN

dimensioni sizes dimensions abmessungen	spessore thickness épaisseur stärke	pz/collo pcs/box pc/boite stk/ktn	mq/collo sqm/box m/boite qm/ktn	kg/collo kg/box kg/boite kg/ktn	colli/pallet box/europal boites/europal ktn/europal	mq/pallet sqm/pallet m/pallet qm/pallet	kg/europal kg/europal kg/europal kg/europal
Fondo 20x122 Rettificato	9,5 mm	5	1,22	23,50	45	54,90	1085

Dado Ceramica S.r.l.

Via Sicilia 21 - 40017 San Matteo della Decima (BO) - Italy

Telefono +39 051 6819611

Telefax +39 051 6819650

www.dadoceramica.it - info@dadoceramica.it

Follow us   

ecodado⁺™ Group

design, tecnologia e ambiente in un unico progetto
design, technology and environment in a single project

EN ISO 9001:2015 - EN ISO 14001:2015
EN ISO 50001:2018 - EN ISO 45001:2018
UNI EN ISO 14021: 2016 - GREENGUARD GOLD

